

COMMUNICATION

Here is the Title

Author Name, Author Name, and Author Name*

Chemistry College, Beijing Normal University, Beijing 100875, China

Received 7 Feb. 2024; Accepted (in revised version) 10 Apr. 2024

((max-width: 5.5cm; max-height: 5.0cm))
650x590-pixels.
Please delete this box prior to submission.

Keyword: Text, Text, Text, Text, Text.

* Corresponding author: AuthorName@gmail.com

text text.

Acknowledgments

Text text.

Supporting Information

The online version contains supplementary material available at website Text text.

References

- [1] (**Journal Articles**) M. J. Berger and P. Collela, Local adaptive mesh refinement for shock hydrodynamics, *J. Comput. Phys.*, 82 (1989), 62-84.
- [2] (**Article accepted**) Z. J. Tan, T. Tang and Z. R. Zhang, A simple moving mesh method for one- and two-dimensional phase-field equations, *J. Comput. Appl. Math.*, to appear.
- [3] (**Preprints**) S. McKechnie, J. M. Frost, D. Pashov, P. Azarhoosh, A. Walsh, M. Schilfgaarde, arXiv preprint 2017, DOI: 10.48550/arXiv.1711.00533.
- [4] (**Books without editor**) C. de Boor, Good Approximation By Splines With Variable Knots II, in Springer Lecture Notes Series 363, Springer-Verlag, Berlin, 1973.
- [5] (**Books with editor**) T. D. Tullius in *Comprehensive Supramolecular Chemistry*, Vol. 5 (Eds.: J. L. Atwood, J. E. D. Davies, D. D. MacNicol, F. Vögtle, K. S. Suslick), Pergamon, Oxford, 1996, pp. 317–343.
- [6] (**Data citations**) [dataset] Authors, Year, *Dataset title*, Data repository or archive, Version (if any), Persistent identifier (e.g. DOI).
- [7] (**Programs**) G. M. Sheldrick, SHELXS-96, Program for the Solution of Crystal Structures, University of Göttingen, Göttingen (Germany), 1996.
- [8] (**Thesis**) A. Name, Title of PhD thesis, University of Newcastle (UK), 1991.